

**Daudi Cell Lysates**

**Catalog # 3750-1**

**Lot#:** Refer to the vial  
**Quantity:** 1X100ug  
**Type:** Cell Lysates  
**Applications:** WB, IP  
**Concentration:** 1mg/ml (100ul)

**Background:** Daudi cell positive control lysates.

**Storage Conditions:** -20°C

**Stability:** 12 months from date of receipt

**Recommended Usage Guidelines:**

1. Lysates were prepared in reducing lysis buffer and should be heated to 95-100°C for 5 minutes prior to use.
2. Centrifuge the vial after thawing for maximum recovery of product
3. Load 10ug (10ul) per well (mini-gel).

**Related Products:**

<b>Name</b>	<b>Catalog #</b>	<b>Quantity</b>
HeLa control lysates	3710-1	100ug
Jurkat + Camptothecin	3721-1	2X100ug
Jurkat control lysates	3720-1	100ug
MCF-7 control lysates	3730-1	100ug
K562 control lysates	3740-1	100ug
A431 control lysates	3760-1	100ug
A431+ EGF control lysates	3761-1	2X100ug
Cell Lysis Buffer (10X)	3500-1	15ml

**For research use only. Not for use in diagnostic or therapeutic applications.**

*This product was manufactured under U.S. Patent No. 5,675,063. For a complete list of protocols and available related products, please visit [www.epitomics.com](http://www.epitomics.com).*